

PLANTAE

SELECTAE

QVARVM IMAGINES

AD EXEMPLARIA NATVRALIA

LONDINI IN HORTIS CVRIOSORVM NVTRITA

MANV ARTIFICIOSA DOCTAQVE PINXIT

GEORGIVS DIONYSIVS EHRET

GERMANVS

OCCASIONE HAVD VVLGARI COLLEGIT

NOMINIBVS PROPRIIS NOTISQVE SVBINDE ILLVSTRAVIT

ET PVBLICO VSVI DICAUIT

D. CHRISTOPHORVS IACOBVS TREVV

MEDICVS NORIMBERGENSIS

IN AES INCIDIT

ET VIVIS COLORIBVS REPRAESENTAVIT

IOANNES IACOBVS HAID

PICTOR ET CHALCOGRAPHVS AVGVSTANVS

* * * *

DECVRIA II

A.R.S. MDCCLI

X1005835382



74619/2



MAGNOLIA *Lauri folio subtus albicante, Catesb. T.I. p. 39. Dill.
H. Elth. p. 207. Mill. Gard. dict.*





LIRIODENDRUM foliis angulatis truncatis.

BUL



L
fu



*LILIUM foliis sparsis,
fundo aureo, limbo auran-
pedunculis singulis*

*multiflorum, floribus reflexis,
tio, punctis nigricantibus,
unico folio instructis.*





MEADLIA foliis oblongis serratis, floribus reflexis purpureis.

a. fls. integer, b. unum segmentum, c. tubus, d. locus cui corollae segmenta adherent, e. stamina conniventia, f. eadem diducta, g. filamentum, h. anthera, i. ovarium, k. stylus, l. staminibus longior, m. persistens, n. calyx persistens, o. capsula, p. transverse, q. verticaliter dissecta, r. placenta cum seminibus adherentibus, s. semina.





LILIO-NARCISSVS *Africanus scillæ foli- is, flore niveo linea pur-
purea striato Mill.*





CEREVS altissimus gracilior, fructu ex-
tus luteo intus niveo, seminibus nigris ple-
no Sloā. Cat. Jam. p. 197. Itinerar. T. II. p. 158. Raii Hist.
T. III. dendrol. p. 22. Mill. Gard. dict.





PAVIA Boerh. Ind. alt. P. II. p. 260.





BLATTARIA flore ferrugineo. H. R. Paris. p. 31.





MESPILVS Caroliniana, apii folio vulgari similis, maior, fructu luteo Miller.





MUSA caudice viridi, fructu longiore falcato anguloso
 Sloan. Cat. plant. Jamaic. p. 189. Itinerar. T. II. p. 141.





*MUSÆ fructu longiori spadicea
fructiferi verticillus primus et ex parte se-
cundus tertiusque in naturali magnitudine.*







MUSÆ fructu longiori flores et fructus in naturali magnitudine.

a. flos fecundus (1. petalum exterius ab ovario separatum ut stamina ad receptaculum usque appareant, 2. petalum interius seu nectarium) b. flos sterilis a facie exteriori, c. idem a facie interiori seu spadiceam versus, d. flos sterilis monstrosus, e. idem explicatus geminatis petalis et nectariis, f. fructus ex verticillis florum sterilibus decerptus ad perfectionem non perveniens, g. fructus perfecti et maturi transverse dissecti pars inferior, h. pars superior, i. dimidium fructus per longitudinem dissecti, k. Stylus persistens.







BUŁ



20000001010461

BIBLIOTEKA UNIERSYTECKA
W ŁODZI

J 4619 / A-2